

Contents

| | |
|---|-----|
| Editorial | 1 |
| Facile synthesis of synthetic todorokite (OMS-1), co-precipitation reactions in the presence of a microwave field E. Vileno, Y. Ma, H. Zhou and S.L. Suib | 3 |
| Materials derived from synthetic organo-clay complexes as novel hydrodesulfurization catalyst supports K.A. Carrado, C.L. Marshall, J.R. Brenner and K. Song | 17 |
| Structural investigation of zinc oxide clustering in zeolite A and sodalite L. Khouchaf, M.-H. Tuilier, M. Wark, M. Soulard and H. Kessler | 27 |
| Rapid synthesis of AlPO ₄ -11 and cloverite by microwave-hydrothermal processing M. Park and S. Komarneni | 39 |
| Oxyfluorinated open framework compounds. XVIII. Dehydration of single crystals of the iron phosphate ULM-12 or [Fe ₄ (PO ₄) ₄ F ₃ (H ₂ O) ₃ , N ₂ C ₆ H ₁₄] with an open structure, structural determination and magnetic study of the dehydrated phase (ULM-19) M. Cavelllec, J.M. Grenèche and G. Férey | 45 |
| Surfactant-templated silica aerogels M.T. Anderson, P.S. Sawyer and T. Rieker | 53 |
| Photoluminescent properties of MCM-41 molecular sieves M.E. Gimon-Kinsel, K. Groothuis and K.J. Balkus, Jr. | 67 |
| Synthesis and characterization of a porous zirconium arsenate, [Zr ₃ (AsO ₄) ₄ (H ₂ O) ₂]·2H ₂ O D.M. Poojary, A.I. Bortun, L.N. Bortun, C. Trobajo, J.R. García and A. Clearfield | 77 |
| Hydrothermal synthesis and characterization of indium containing beta zeolite M. Chatterjee, D. Bhattcharya, H. Hayashi, T. Ebina, Y. Onodera, T. Nagase, S. Sivasanker and T. Iwasaki ... | 87 |
| Electron spin resonance and optical spectroscopy of tubular aluminophosphate materials containing framework vanadium Z. Luan, D. Zhao and L. Kevan | 93 |
| A functionalized porous clay heterostructure for heavy metal ion (Hg ²⁺) trapping L. Mercier and T.J. Pinnavaia | 101 |
| Influence of high-energy ball milling on the physico-chemical and catalytic properties of titanium silicate TS-1 D. Trong On, M.P. Kapoor, E. Thibault, J.E. Gallot, G. Lemay and S. Kaliaguine | 107 |
| Cation exchange reactions of a sedimentary chabazite E. Torracca, P. Galli, M. Pansini and C. Colella | 119 |
| Sorption of water in aluminophosphate molecular sieve AlPO ₄ -5 B.L. Newalkar, R.V. Jasra, V. Kamath and S.G.T. Bhat | 129 |
| Isomorphous substitution of Fe ³⁺ in the framework of aluminosilicate mordenite by hydrothermal synthesis P. Wu, T. Komatsu and T. Yashima | 139 |
| Crystal growth of zincophosphates from conventional media and reverse micelles: mechanistic implications M.J. Castagnola and P.K. Dutta | 149 |
| Physical chemistry of aluminosilicate gels. Part 2. Influence of the batch molar ratio SiO ₂ /Al ₂ O ₃ on chemical composition of the gels I. Krznarić, T. Antonić and B. Subotić | 161 |
| Effect of Si to Al substitution at next-nearest-neighbor sites on the acid strength. 2. Low Si/Al ratio or high ammonia loading K. Teraishi | 177 |

| | |
|---|-----|
| Ammonia interaction and reaction with Al-pillared montmorillonite: an IR study S. Bodoardo, R. Chiappetta, B. Onida, F. Figueras and E. Garrone | 187 |
| Oxyfluorinated compounds with an open framework XX. Synthesis and structural characterization of aza-crown ether templated $\text{Ga}_5\text{F}_2(\text{HPO}_4)_2(\text{PO}_4)_4$, $\text{C}_{12}\text{H}_{27}\text{N}_6$ (MIL-1) F. Serpaggi, T. Loiseau, F. Taulelle and G. Férey | 197 |
| The incorporation of iron ions in AlPO_4 -5 molecular sieves after microwave synthesis studied by EPR and Mössbauer spectroscopy A. Brückner, U. Lohse and H. Mehner | 207 |
| The effect of hydrogen on the modification of catalytic sites in CoAPO-5 and CoAPSO-5 molecular sieves T. Tsoncheva, R. Dimitrova and Ya. Neinska | 217 |
| Patents Report | 223 |
| Newsbrief | 235 |
| Guide for Authors. | 243 |
| Influence of the $\text{SiO}_2/\text{Al}_2\text{O}_3$ ratio on the synthesis and physicochemical characteristics of levyne-type zeolite C.V. Tuoto, A. Regina, J.B. Nagy and A. Nastro | 247 |
| A refined model for the active site within the NO decomposition catalyst, Cu-ZSM-5 D.C. Sayle, C. Richard, A. Catlow, M.-A. Perrin and P. Nortier | 259 |
| Thermal and cation influence on IR vibrations of modified natural clinoptilolite G. Rodríguez-Fuentes, A.R. Ruiz-Salvador, M. Mir, O. Picazo, G. Quintana and M. Delgado | 269 |
| Acid properties of mazzite zeolites studied by IR spectroscopy M. Guisnet, P. Ayrault and J. Datka | 283 |
| Characterization of Al_2O_3 - ZrO_2 mixed oxide catalytic supports prepared by the sol-gel method T. Klimova, M.L. Rojas, P. Castillo, R. Cuevas and J. Ramírez | 293 |
| Acidity of dealuminated β -zeolites via coupled NH_3 -stepwise temperature programmed desorption (STPD) and FT-IR spectroscopy G.M. Robb, W. Zhang and P.G. Smirniotis | 307 |
| Hydroxy-Al pillaring of concentrated suspensions of smectite clays L. Storaro, M. Lenarda, M. Perissinotto, V. Lucchini and R. Ganzerla | 317 |
| Strengthened porous alumina membrane tube prepared by means of internal anodic oxidation N. Itoh, N. Tomura, T. Tsuji and M. Hongo | 333 |
| Synthesis of metatungstate pillared layered double hydroxides with variable layer composition. Effect of the Mg:Al ratio on the microporous structure M.R. Weir and R.A. Kydd | 339 |
| Crystallization of microporous aluminophosphates and Me^{2+} -substituted aluminophosphates investigated by in situ synchrotron X-ray powder diffraction A.N. Christensen, P. Norby and J.C. Hanson | 349 |
| In situ ESR study of RhHZSM-5 interaction with different compounds A.V. Kuchеров, S.G. Lakeev and M. Shelef | 355 |
| Modification of ZSM-5 zeolite with trimethyl phosphite. Part 1. structure and acidity P. Tynjälä and T.T. Pakkanen | 363 |
| Template control of framework topology and charge in new phosphate- and arsenate-based sodalite analogs X. Bu, T.E. Gier, P. Feng and G.D. Stucky | 371 |
| Patents Report | 381 |
| Newsbrief | 393 |
| Author Index vol. 20 | 405 |
| Subject Index vol. 20 | 407 |
| Cumulative Index vol. 20 | 409 |

